

St. Louis City Ordinance 62492

FLOOR SUBSTITUTE

BOARD BILL NO. [91] 279

INTRODUCED BY ALDERMAN Marit Clark

An ordinance amending the BOCA National Building Code, 1987 Edition, as adopted by Ordinance 60664 by showing compliance with State Senate Bill 347 regarding seismic design; and containing an emergency clause.

BE IT ORDAINED BY THE CITY OF ST. LOUIS AS FOLLOWS:

Section One. Section Three of Ordinance 60664, adopted February 17, 1988, is amended as follows:

Delete Section 602.3.1.3.

Section 602.11 is amended to read as follows:

602.11 SEISMIC CONSIDERATION: Anchorage of elevator drive and suspension systems, emergency power and lighting facilities, fire pumps and all other fire protection equipment and systems shall be designed in accordance with Section 1113.14 for essential facilities.

Delete Section 1113.0 in its entirety.

Add Section 1113.0 of the 1990 BOCA National Code, eleventh edition, as printed in its entirety.

Add Subsection 1113.1.6 to read as follows:

1113.1.6 CITY OF SAINT LOUIS CRITERIA: For purposes of this code the effective peak velocity related acceleration (A_v) shall be 0.10.

Amend Section 1206.3 to read as follows:

1206.3 EARTHQUAKE LOADS: In localities subject to seismic disturbances, special provisions shall be made in the foundation design to comply with the provisions of Section 1113.0.

Delete Section 1501.0 in its entirety

Add Section 1501.0 of the 1990 BOCA National Building Code, eleventh edition, as printed in its entirety.

Section Two. This being an ordinance necessary for the immediate preservation of the public safety, it is hereby declared to be an emergency measure and shall become effective immediately upon its approval by the Mayor.

Legislative History				
1ST READING	REF TO COMM	COMMITTEE	COMM SUB	COMM AMEND
12/06/91	12/06/91	PS		
2ND READING	FLOOR AMEND	FLOOR SUB	PERFECTN	PASSAGE
12/13/91			12/17/91	12/20/91
ORDINANCE	VETOED		VETO OVR	
62492				